



ROPPE.
Proven. Flooring. Experiences.

ESD FLOORING

RUBBER | VINYL | SHEET > STATIC CONTROL FLOORING

ESD FLOORING

RUBBER | VINYL | SHEET > STATIC CONTROL FLOORING



ESD Vinyl Sheet,
772 Atom

Roppe offers a variety of ESD flooring styles and colors to meet your needs for static and voltage control, as well as aesthetic appeal. Create your ideal combination for use in computer rooms, clean rooms, manufacturing facilities, data centers and any environment where static electrical discharge is a hazard to sensitive equipment.

ESD RUBBER

STATIC CONTROL TILE

Roppe static dissipative rubber tiles dissipate static electricity in areas where static electrical discharge presents a hazard to sensitive devices, while helping to control static charges generated by the human body. Our specialized and unique manufacturing process gives our ESD rubber the qualities that make it PVC free, durable, practical and economical. A combination of dissipative tile and proper conductive footwear keeps body voltage less than 50 volts. The electrical range for our Static Dissipative tile is 1×10^6 to 1×10^9 .



ESD Rubber Tile, F329 Cadete

Available in .080" gauge
Hammered profile 24" x 24"

ESD VINYL

STATIC CONTROL TILE

ESD Static Control vinyl flooring is ideal for clean rooms and computer rooms, for fiber optic, electronic and pharmaceutical manufacturing, and anywhere protection from static discharge is needed. Our specialized and unique manufacturing process gives our ESD the qualities that make it durable, practical and economical. Combination of conductive tile and proper conductive footwear keeps body voltage less than 8 volts. The electrical range for our Conductive Tile is 2.5×10^4 to 1×10^6 . The electrical range for our Static Dissipative tile is 1×10^6 to 1×10^9 .




ESD Vinyl Tile, 750 Cumulus White

Available in 12" x 12", 24" x 24"
or 36" x 36" x 1/8" tiles.

ESD VINYL SHEET

STATIC
CONTROL
SHEET

Roppe's ESD vinyl sheet flooring offers reliable static control across all humidity levels. Made from premium conductive-grade carbon black infused evenly throughout the homogeneous vinyl, ESD sheets maintain surface resistivity between 1×10^6 to 1×10^9 ohms regardless of ambient humidity. Unlike surface-coated options that fail at low relative humidity, Roppe's ESD vinyl sheet's inherent volume conductivity ensures uniform antistatic performance year-round. Expertly formulated, available in 3 color options and factory cut for flawless site installation, this durable vinyl sheet delivers permanent static-dissipative surfaces unaffected by seasonal moisture fluctuations or aging.



ESD Vinyl Sheet, 771 Friction

Available in Smooth
6'6" x 49'2" x .080" (2mm) rolls


ROPPE

Proven. Flooring. Experiences.


On the Cover:
ESD Vinyl Tile, 701 Neutron

COLORS


ESD RUBBER



F326
parda




F327
oscuridad




F328
cenizas




F329
cadete




F330
desierto




F331
crema



F332
lino




F333
piedra




F334
leonado



F335
caramelo




F336
pizarra



F337
galaxia


ESD VINYL



750
cumulus white




751
haze gray




753
stratus blue



754
storm beige




701
neutron



702
electron



760
safety yellow



756
thunder black



757
tornado gray

WELDING BEADS

We offer welding beads in a wide variety of colors to ensure proper fit, finish and appearance. Use Roppe welding beads in areas that require ongoing and comprehensive wet cleaning, such as operating rooms or laboratories, and clean rooms where maintaining proper hygiene is essential.

ESD RUBBER WELDING BEADS

193 black brown	632 flax
100 black	671 somber
123 charcoal	140 fawn
177 steel blue	679 sepia
680 latte	175 slate
681 buff	667 galactic


ESD VINYL WELDING BEADS

100 black	197 iceberg
177 steel blue	161 snow
673 greige	760 safety yellow
680 latte	


ESD VINYL SHEET WELDING BEADS

770 cirrus
771 friction
772 atom


ESD VINYL SHEET



770
cirrus



771
friction



772
atom

ESD FLOORING

RUBBER

VINYL

VINYL SHEET



ESD Rubber Flooring Red List Chemical Free

Free of Red List chemicals, PVC, and phthalates.



ESD Vinyl Tile Bio-Based Formula

Formulated using bio-based phthalate-free plasticizer, from a rapidly renewable resource.




Sustainable Solutions

Made in the U.S.A., and meets FloorScore®, NSF332 Platinum and CHPS criteria.




Low Maintenance

ESD Rubber Tiles are low maintenance and require no waxing. The high luster surface of ESD Vinyl Tiles eliminates need for floor finishing—easily buffs to a shine and resists effects of common chemicals and solder.



Welding Beads

Use Roppe welding beads in areas that require ongoing and comprehensive wet cleaning, such as operating rooms or laboratories, and clean rooms where maintaining proper hygiene is essential.



Single Price Point

All colors available at a Single Price Point within your selected palette.



Installation



Roppe products are easy to install & maintain using our Excelsior™ Products. Visit roppe.com for the most current recommendations.



Maintenance



Digital Folders

Find the most current lineup of Roppe product folders online at roppe.com.



Health Product Declarations® for ESD Rubber Tile and ESD Vinyl Tile are available at roppe.com



95-671 2/25