



ROPPE.
Proven. Flooring. Experiences.

RECOIL
FITNESS FLOORING

RECOIL


FITNESS FLOORING

CHIP CONTENT




Multi-functional rubber flooring designed for use in residential, commercial or industrial applications where added comfort under foot is needed, Roppe Recoil flooring can be used on indoor or outdoor applications where enhanced walking comfort and slip resistance is desired.


Square and interlocking tiles are 36" x 36" and rolls are 48" x 49-1/2'. Custom colors available upon request. Minimum quantities may apply.




10% color




20% color




30% color




40% color




50% color




60% color



70% color



80% color




90% color

ROPPE
Proven. Flooring. Experiences.


Recoil is available in standard thicknesses of 5/32", 1/4", 3/8" and 1/2".

ON THE COVER: Recoil Fitness Flooring,
195 Light Gray (10% Chip Content)

COLORS




100
black




169
hunter green



131
bisque




186
red




195
light gray




198
ivory




603
sunflower




609
cobalt




375
red/bisque/cobalt



376
bisque/ivory



377
hunter green/ivory



378
cobalt/light gray

Swatches shown represent standard 10% chip content.

SIZE: Square Tile: 36" x 36" (914.4mm x 914.4mm) nominal
Inter-Locking Tile: 36" x 36" (914.4mm x 914.4mm) nominal
Roll: 48" (1.22mm) wide x 49.5' (15.09m) length nominal

THICKNESS: 5/32" (4.00mm), 1/4" (6.00mm), 3/8" (9.00mm), or 1/2" (12.00mm) nominal



PVC Free and Phthalate Free

PVC free and phthalate free.




Sustainable Solutions

Made in the U.S.A. and meets FloorScore® and CHPS criteria.



Square Edge and Interlocking Edge Tiles

Available in 36" x 36" square edge tiles and 34-1/4" x 34-1/4" interlocking edge tiles. Standard thicknesses of 5/32", 1/4", 3/8" and 1/2" provide outstanding sound and shock absorption.




Roll Sizes Available

Full rolls at 48" x 49-1/2' and half rolls at 48" x 24-3/4'. Standard thicknesses of 5/32", 1/4", 3/8" and 1/2" provide outstanding sound and shock absorption.



Stocking Program, Ready to Ship

Stock commitment in 3/8" thickness, 10% chip content in our most popular colors ensures immediate availability for time sensitive projects.



Single Price Point

All colors available at a Single Price Point. Available in Black, Black with 7 standard Roppe color chips, and multi-color chip combinations.



Installation



Roppe products are easy to install & maintain using our Excelsior™ Products. Visit roppe.com for the most current recommendations.



Maintenance

Find the most current lineup of Roppe product folders online at roppe.com.



Digital Folders