

HPD UNIQUE IDENTIFIER: 7092158035968

CLASSIFICATION: 09 65 00 Resilient Flooring

PRODUCT DESCRIPTION: Roppe Rubber Tile is a broad category of resilient vulcanized rubber tile products designed for permanent flooring installations. The natural durability and dimensional stability of Roppe Rubber Tile make this flooring ideal for most high traffic commercial installations. Roppe's Rubber Tile formulation is screened according to current authoritative lists and does not contain any chemicals contained in the Living Future Institute's Red List (Living Building Challenge, Imperative 10), substances of very high concern (SVHC) on the REACH candidate list, or substances restricted under REACH. Roppe Rubber Tile is available in a multitude of styles, profiles, and colors. Please see the "General Notes" section below for a description of applicable products.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
<input type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	<input checked="" type="radio"/> Completed	Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	<input type="radio"/> Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Completed	Screened <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	Identified <input type="radio"/> Yes <input checked="" type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

ROPPE RUBBER TILE | STYRENE BUTADIENE RUBBER (SBR) LT-UNK | **KAOLIN CLAY** | LT-UNK | CAN | **TITANIUM DIOXIDE** | LT-1 | CAN | END | MAM | **UNDISCLOSED** | BM-1 | CAN | MAM | EYE | SKI | **EPOXIDIZED SOYBEAN OIL** | LT-P1 | AQU | **UNDISCLOSED** | BM-1 | CAN | EYE | MAM | **CORK GRANULES** | NoGS | **UNDISCLOSED** | LT-UNK | **UNDISCLOSED** | LT-UNK | **UNDISCLOSED** | LT-P1 | SKI | MUL | AQU | **UNDISCLOSED** | LT-UNK | **UNDISCLOSED** | BM-1 | END | MUL | AQU | MAM | REP | **UNDISCLOSED** | LT-1 | CAN | MUL | SKI | DEV | **UNDISCLOSED** | LT-1 | CAN | MUL | SKI | DEV | **UNDISCLOSED** | NoGS | **UNDISCLOSED** | LT-P1 | MUL | AQU | **UNDISCLOSED** | BM-1 | CAN | MAM | GEN | **UNDISCLOSED** | LT-P1 | END | **UNDISCLOSED** | LT-UNK | **UNDISCLOSED** | LT-UNK | RES | SKI | EYE | MAM | REP]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, BM-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Some material identifications are withheld and marked as "undisclosed" to protect proprietary information. Percentages (%) provided as ranges to protect proprietary information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore IAQ Certified
Multi-attribute: NSF/ANSI 332 Resilient Flooring: Platinum

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2023-07-05

PUBLISHED DATE: 2023-07-05

EXPIRY DATE: 2026-07-05

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

ROPPE RUBBER TILE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were "Considered", as outlined in Emerging Best Practices. Residuals or impurities with the potential to be present at or above the Content Inventory Threshold indicated that return a GS score of BM-1, LT-1, LT-P1 or NoGS have been disclosed, based on information provided in supplier disclosure letter and as predicted by process chemistry (Pharos CML).

OTHER PRODUCT NOTES: None.

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-07-05 10:40:04

#: 24.0000 - 36.0000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: A residual of 6PPD (CASRN 793-24-8) is expected to be present based upon process chemistry via the Pharos Chemical and Materials Library. However, this substance is not included in the content inventory because supplier documentation indicates that 6PPD is not used in the manufacturing process.

KAOLIN CLAY

ID: 1332-58-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-07-05 10:40:05

#: 16.0000 - 25.0000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

CAN

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-05 10:40:06**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
%: 0.0000 - 10.0000	GreenScreen: LT-1	RC: None NANO: No SUBSTANCE ROLE: Pigment
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-05 10:40:06**

%: 0.5000 - 5.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
---------------------------	--------------------------	-----------------	-----------------	--------------------------------

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

EPOXIDIZED SOYBEAN OIL

ID: 8013-07-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-05 10:40:07**

%: **2.0000 - 5.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Softener**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-05 10:40:07**

%: **0.1000 - 4.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 2b - Possibly carcinogenic to humans
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

CORK GRANULES

ID: **Not registered**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-05 10:40:07**

%: **0.0000 - 3.0000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: None.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-05 10:40:07**

%: **1.1000 - 1.5000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-05 10:40:08**

%: **1.0000 - 1.4000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-05 10:40:08**

%: **0.8000 - 1.2000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-05 10:40:08**

%: **0.7500 - 1.2000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-05 10:40:08**

%: **0.6000 - 1.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
AQU	GHS - Malaysia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Malaysia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPPI)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPPI)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-07-05 10:40:10		
%: 0.4000 - 0.7000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-07-05 10:40:10		
%: 0.2000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-05 10:40:10**

%: **Impurity/Residual** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2023-07-05 10:40:11		
%: 0.2000 - 0.4000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-05 10:40:11**

%: **0.1000 - 0.4000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-07-05 10:40:11**

%: **0.0600 - 0.1000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
RES	MAK	Sensitizing Substance Sa - Danger of airway sensitization
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
SKI	GHS - New Zealand	Skin irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
EYE	GHS - New Zealand	Serious eye damage category 1
SKI	GHS - New Zealand	Skin sensitisation category 1
REP	GHS - New Zealand	Reproductive toxicity category 2
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Malaysia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	RFCI FloorScore IAQ Certified	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: https://www.scsglobalservices.com/certified-clients/certificates/7136	ISSUE DATE: 2023-07-01 EXPIRY DATE: 2024-06-30	CERTIFIER OR LAB: SCS Global Services
CERTIFICATION AND COMPLIANCE NOTES: RFCI FloorScore Indoor Air Quality (IAQ) Certification is in compliance with CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.		

MULTI-ATTRIBUTE	NSF/ANSI 332 Resilient Flooring: Platinum	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: https://www.scscertified.com/products/cert_pdfs/Roppe_2020_SCS-RF-04162_s.pdf	ISSUE DATE: 2020-04-01 EXPIRY DATE: 2022-12-31	CERTIFIER OR LAB: SCS Global Services
CERTIFICATION AND COMPLIANCE NOTES: NSF/ANSI 332 is a voluntary, multi-attribute standard that evaluates the environmental and social impacts of resilient flooring products. Qualification of certification under this standard requires conformance to criteria including product design, product manufacturing, long-term value, end of life management, corporate governance, and innovation. Roppe Rubber Tile and Stair Tread products have been certified to the Platinum level of NSF/ANSI 332.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

EXCELSIOR SP-500
MANUFACTURER (OR GENERIC): Excelsior
HPD URL: No HPD available ACCESSORY TYPE: Adhesive CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: SP-500 is an acrylic aerosol pressure-sensitive adhesive used for the installation of vinyl and rubber flooring products. SP-500 is water-based and VOC free. SP-500 is RFCI FloorScore® Indoor Air Quality (IAQ) certified by SCS Global Services, indicating compliance with CDPH/EHLB Standard Method v1.1-2012 (California Section 01350), effective January 1, 2012, for the school classroom, private office, and single-family residence parameters when modeled as flooring (Registration # SCS-FS-03450, valid from January 1, 2018 to December 31, 2018, Certificate URL: http://www.flexcofloors.com/wp-content/uploads/2018/01/RHC_2018_SCS-FS-03450_s.pdf). Technical Data Sheet URL: http://excelsiorproducts.net/wp-content/uploads/2017/01/Excelsior_SP-500_DataSheet.pdf . VOC content: 0.0 g/l.

EXCELSIOR AW-510
MANUFACTURER (OR GENERIC): Excelsior
HPD URL: No HPD available ACCESSORY TYPE: Adhesive CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: AW-510 is an acrylic wet-set adhesive used for the permanent installation of dimensionally stable vinyl, rubber and quartz flooring, wall base and stair tread products. AW-510 is water-based, low VOC and solvent free. AW-510 is RFCI FloorScore® Indoor Air Quality (IAQ) certified by SCS Global Services, indicating compliance with CDPH/EHLB Standard Method v1.1-2012 (California Section 01350), effective January 1, 2012, for the school classroom, private office, and single-family residence parameters when modeled as flooring (Registration # SCS-FS-02963, valid from March 1, 2018 to February 28, 2019, Certificate URL: https://www.scscertified.com/products/cert_pdfs/RHC_2018_SCS-FS-02963_s.pdf). Technical Data Sheet URL: http://excelsiorproducts.net/wp-content/uploads/2017/01/Excelsior_AW-510_DataSheet.pdf . VOC Content: <0.1 g/l.

HPD URL: No HPD available

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: EW-710 is a non-flammable two-part urethane-modified epoxy adhesive used for the permanent, indoor installation of vinyl, rubber and quartz flooring products. EW-710 is low VOC and solvent free. EW-710 is RFCI FloorScore® Indoor Air Quality (IAQ) certified by SCS Global Services, indicating compliance with CDPH/EHLB Standard Method v1.1-2012 (California Section 01350), effective January 1, 2012, for the school classroom, private office, and single-family residence parameters when modeled as flooring (Registration # SCS-FS-02963, valid from March 1, 2018 to February 28, 2019, Certificate URL: https://www.scs-certified.com/products/cert_pdfs/RHC_2018_SCS-FS-02963_s.pdf). Technical Data Sheet URL: http://excelsiorproducts.net/wp-content/uploads/2017/01/Excelsior_EW-710_DataSheet.pdf. VOC Content: <12 g/l.

Section 5: General Notes

Roppe Rubber Tile offer raised design profiles that promote excellent water drainage by safely channeling liquids off the walking surface. Roppe Rubber Tile is highly durable providing underfoot comfort and reduced noise from foot traffic when compared to other types of flooring, and provides an unmatched level of cost-to-life-cycle benefit. Roppe Rubber Tile are the perfect complement to flooring projects in schools, shopping malls, retail settings, government centers, hospitals or airports. Most tiles have a coordinating tread design and are available within our variety of color palettes – Solid, Marble, Symmetry, ReNew, Fiesta, and Marble Fiesta. Roppe Rubber Tiles are available in the following profiles:

- Raised Circular Vantage Design with or without lug-back
- Hammered Design
- Raised Square Design
- Textured Design
- Slate Design
- Low Profile Raised Circular Design
- Warning Tile
- Smooth Rubber Tile
- Dimensions Raised Designs: Crackle, Random and Stripe.

Roppe Rubber Tile are Free of PVC, phthalates and halogens. The tiles are also made in the U.S.A. and meet FloorScore®, NSF 332 Platinum and CHPS criteria. Roppe's Rubber Tile homogenous vulcanized formulation is screened according to current authoritative lists and does not contain any chemicals contained in the Living Future Institute's Red List (Living Building Challenge, Imperative 10), substances of very high concern (SVHC) on the REACH candidate list, or substances restricted under REACH.

Components designated as "Undisclosed" are kept confidential to protect proprietary information. Hazards as shown in this Health Product Declaration may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

MANUFACTURER INFORMATION

MANUFACTURER: Roppe Corporation
ADDRESS: 1602 North Union Street
 Fostoria OH 44830-1158, United States
WEBSITE: <https://roppe.com/>

CONTACT NAME: Jacob Gentillon
TITLE: Chemist
PHONE: 419-435-8546 Ext. 5115
EMAIL: jkgentillon@roppe.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.