



ROPPE.
Proven. Flooring. Experiences.


SYMMETRY LVT
LUXURY VINYL TILE

SYMMETRY LVT

LUXURY VINYL TILE




Available in 12" x 24" tiles, Roppe's Symmetry Luxury Vinyl Tile allows for flush installation with other 1/8" products. Its C-Shield UV cured ceramic bead finish adds durability while resisting scratching, wear and indentation, providing longlasting color and performance for the most demanding healthcare and educational installations.




S123
charcoal



S174
smoke



S627
mariner



S656
bluebell

ROPPE


Proven. Flooring. Experiences.

VINYL WELDING BEADS

Ensure proper fit, finish and appearance by using vinyl welding bead in areas that require ongoing and comprehensive wet cleaning and where maintaining proper hygiene is essential. Vinyl Welding Beads are available in 200l/f spools.

VINYL WELDING BEADS COLORS

	123 charcoal		627 mariner
	174 smoke		656 bluebell
	194 burnt umber		137 cinnabar
	639 beigewood		122 natural
	191 camel		161 snow




S194
burnt umber



S639
beigewood



S191
camel



S137
cinnabar




S122
natural



S161
snow

Symmetry Luxury Vinyl Tiles are a great pair with our rubber tile and tread offerings.

Symmetry Luxury Vinyl Tiles and Envire® Rubber Sheet & Tile or our Raised Design Rubber Tiles and Treads in our Symmetry palette are a great pair for installation where the benefits of rubber and vinyl flooring need to work together. It's easy to use both flooring types with 10 coordinating colors across the two product lines.



SYMMETRY LVT

LUXURY VINYL TILE



Phthalate Free with 100% Virgin Materials

Formulated with non-phthalate plasticizers using 100% virgin materials, with over 50% of the raw materials sourced within a 100-mile radius.



Sustainable Solutions

Made in the U.S.A. and meets GREENGUARD Gold and CHPS criteria.



Premium Construction

Premium construction that can be recycled after use and offers a 20-year commercial warranty.



Installation



Roppe products are easy to install & maintain using our Excelsior™ Products. Visit roppe.com for the most current recommendations.



Maintenance




Durable Wear Layer

28 mil (.711mm) wear layer that exceeds ASTM F1700 spec for commercial use. C-Shield UV cured ceramic bead finish adds durability while resisting scuffing and traffic patterns on the surface while promoting ease of maintenance.



Glue Down Construction

Nominal 1/8" construction glue down planks with a straight edge help conceal subfloor imperfections and allow for flush installation with other 1/8" products.



Single Price Point

All colors available at a Single Price Point. Available in 10 colors.



Digital Folders

Find the most current lineup of Roppe product folders online at roppe.com.

ROPPE
Proven. Flooring. Experiences.



ROPPE UNIVERSITY



Environmental Product Declaration® is available at roppe.com

proudly made in the
USA

109-671 2/25